

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	((choos\$3 or load near balanc\$3 or load near manag\$6 or select\$3) near server) and L102
Display:	10 Documents in <u>Display Format:</u> - Starting with Number 1
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Friday, February 01, 2008
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> <u>result</u> <u>set</u>
side by side			
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L103</u>	((choos\$3 or load near balanc\$3 or load near manag\$6 or select\$3) near server) and L102	35	<u>L103</u>
<u>L102</u>	@pd<20011029 and L101	255	<u>L102</u>
<u>L101</u>	718/105.ccls.	1014	<u>L101</u>
<u>L100</u>	@pd<20011029 and L99	134	<u>L100</u>
<u>L99</u>	(choos\$3 or load near balanc\$3 or load near manage\$6 or select\$3) near server and L98	1442	<u>L99</u>
<u>L98</u>	default with server	9313	<u>L98</u>
<u>L97</u>	transaction and L96	114	<u>L97</u>
<u>L96</u>	L80 and L95	226	<u>L96</u>
<u>L95</u>	@pd<20011029 and L94	391	<u>L95</u>
<u>L94</u>	(choos\$3 or load near balanc\$3 or load near manage\$6 or select\$3) near server and default	3932	<u>L94</u>
<u>L93</u>	@pd<20011029 and default adj server	54	<u>L93</u>
<u>L92</u>	@pd<20011029 and L91	21	<u>L92</u>

<u>L91</u>	default near server and (new near (transaction or request or message))	158	<u>L91</u>
<u>L90</u>	default near server with new	44	<u>L90</u>
<u>L89</u>	L88 and (load near balanc\$3 or work\$1load)	21	<u>L89</u>
<u>L88</u>	periodically with updat\$3 with (server or rout\$3) near table	221	<u>L88</u>
<u>L87</u>	periodically with updat\$3 near table with transaction	4	<u>L87</u>
<u>L86</u>	L80 and L85	22	<u>L86</u>
<u>L85</u>	L84 and (load near balanc\$3 or work\$1load)	100	<u>L85</u>
<u>L84</u>	updat\$3 near table with transaction	467	<u>L84</u>
<u>L83</u>	L80 and L82	42	<u>L83</u>
<u>L82</u>	(rout\$3 near transaction).ab.ti.	281	<u>L82</u>
<u>L81</u>	L74 and L80	50	<u>L81</u>
<u>L80</u>	L75 or L76 or L77 or L78 or L79	123072	<u>L80</u>
<u>L79</u>	(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10).ccls.	29401	<u>L79</u>
<u>L78</u>	(710/1 710/2 710/3 710/4 710/5 710/6 710/7 710/8 710/9 710/10 710/11 710/12 710/13 710/14 710/15 710/16 710/17 710/18 710/19 710/20 710/21 710/22 710/23 710/24 710/25 710/26 710/27 710/28 710/29 710/30 710/31 710/32 710/33 710/34 710/35 710/36 710/37 710/38 710/39 710/40 710/41 710/42 710/43 710/44 710/45 710/46 710/47 710/48 710/49 710/50 710/51 710/52 710/53 710/54 710/55 710/56 710/57 710/58 710/59 710/60 710/61 710/62 710/63 710/64 710/65 710/66 710/67 710/68 710/69 710/70 710/71 710/72 710/73 710/74).ccls.	18833	<u>L78</u>
	(714/1 714/2 714/3 714/4 714/5 714/6 714/7 714/8 714/9 714/10 714/11 714/12 714/13 714/14 714/15 714/16 714/17 714/18 714/19 714/20 714/21 714/22 714/23 714/24 714/25 714/26 714/27 714/28 714/29 714/30 714/31 714/32 714/33 714/34 714/35 714/36 714/37 714/38 714/39 714/40 714/41 714/42 714/43 714/44 714/45 714/46 714/47 714/48 714/49 714/50 714/51 714/52 714/53 714/54 714/55 714/56 714/57).ccls.		
<u>L77</u>		23614	<u>L77</u>
<u>L76</u>	(719/311).ccls.	180	<u>L76</u>
<u>L75</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/208 709/209 709/210 709/211 709/212 709/213 709/214 709/215 709/216 709/217 709/218 709/219 709/220 709/221 709/222 709/223 709/224 709/225 709/226 709/227 709/228 709/229 709/230 709/231 709/232 709/233 709/234 709/235 709/236 709/237 709/238 709/239 709/240 709/241 709/242 709/243 709/244 709/245 709/246 709/247 709/248 709/249 709/250).ccls.	59871	<u>L75</u>
<u>L74</u>	(load near balanc\$3 or work\$1load) and L73	126	<u>L74</u>
<u>L73</u>	transaction and L72	566	<u>L73</u>
<u>L72</u>	updat\$3 near (server or rout\$3) near table	2242	<u>L72</u>
<u>L71</u>	@pd<20011029 and L70	23	<u>L71</u>
<u>L70</u>	((routing near transaction) and load near balanc\$3)	145	<u>L70</u>
<u>L69</u>	((routing near transaction) and ((choos\$3 or select\$3) near server))	35	<u>L69</u>
<u>L68</u>	((routing near transaction) with ((choos\$3 or select\$3) near server))	0	<u>L68</u>
<u>L67</u>	(workload or load\$1balanc\$) and L65	176	<u>L67</u>
<u>L66</u>	@pd<2001029 and L65	0	<u>L66</u>
<u>L65</u>	(select\$3 or choos\$3) near (processor or server) with transaction	537	<u>L65</u>

<u>L64</u> @pd<20011029 and L63	12	<u>L64</u>
<u>L63</u> (workload or load\$1balanc\$) and L62	110	<u>L63</u>
<u>L62</u> L60 and L61	565	<u>L62</u>
<u>L61</u> (select\$3 or choos\$3) near (processor or server)	30713	<u>L61</u>
<u>L60</u> transaction near type	12991	<u>L60</u>
<u>L59</u> @pd<20011029 and L58	7	<u>L59</u>
<u>L58</u> workload and load\$1balanc\$3 and L57	155	<u>L58</u>
<u>L57</u> (select\$3 or choos\$3) near (processor or server) and transaction	7033	<u>L57</u>
<u>L56</u> workload and L54	53	<u>L56</u>
<u>L55</u> load\$1balanc\$3 and L54	11	<u>L55</u>
<u>L54</u> @pd<20011029 and L53	504	<u>L54</u>
<u>L53</u> rout\$3 near transaction	2486	<u>L53</u>
<u>L52</u> (assign\$6 or determin\$3) near server and L51	106	<u>L52</u>
<u>L51</u> (work\$1load or load near balanc\$3) and L49	225	<u>L51</u>
<u>L50</u> load near balanc\$3 and L49	195	<u>L50</u>
<u>L49</u> default near server	858	<u>L49</u>
<u>L48</u> message near (pass\$3 or deliver\$3) and L47	114	<u>L48</u>
<u>L47</u> header and (payload or body) and L46	234	<u>L47</u>
<u>L46</u> event adj channel	2074	<u>L46</u>
<u>L45</u> (choos\$3 or select\$3) near default near server	36	<u>L45</u>
<u>L44</u> transaction with default near server	13	<u>L44</u>
<u>L43</u> transaction and L42	63	<u>L43</u>
<u>L42</u> (load near balanc\$3 or work\$1load) near table	236	<u>L42</u>
<u>L41</u> (715/733 715/738).ccls.	1187	<u>L41</u>
<u>L40</u> new near (request or transaction) with (choos\$3 or load near balanc\$3 or load near manage\$6 or select\$3) near server	49	<u>L40</u>
<u>L39</u> new near transaction with (choos\$3 or load near balanc\$3 or load near manage\$6 or select\$3) near server	4	<u>L39</u>
<u>L38</u> new near transaction with (choos\$3 or load near balanc\$3 or load near manage\$6) near server	4	<u>L38</u>
<u>L37</u> new near transaction with default near server	0	<u>L37</u>
<u>L36</u> (transmi\$4 or transfer\$\$ or rout\$3) near transaction with default near server	0	<u>L36</u>
<u>L35</u> (choos\$3 or load near balanc\$3 or load near manage\$6) with default near server	33	<u>L35</u>
<u>L34</u> @pd<20011029 and L33	8	<u>L34</u>
<u>L33</u> L31 and L32	146	<u>L33</u>
<u>L32</u> (choos\$3 or load near balanc\$3 or load near manage\$6) near2 server	6079	<u>L32</u>
<u>L31</u> (transmi\$4 or transfer\$\$ or rout\$3) near transaction	11486	<u>L31</u>
<u>L30</u> @pd<20011029 and L29	57	<u>L30</u>
<u>L29</u> (select\$3 or choos\$3 or rout\$3 or find\$3 or ((unknown or new) near (request or message or transaction)))) near2 server and default near server	496	<u>L29</u>
<u>L28</u> @pd<20011029 and default near server and load near balanc\$3	11	<u>L28</u>
<u>L27</u> @pd<20011029 and L26	12	<u>L27</u>

<u>L26</u>	(select\$3 or choos\$3 or rout\$3 or find\$3 or ((unknown or new) near (request or message or transaction))) with default near server	128	<u>L26</u>
<u>L25</u>	6092178.pn.	2	<u>L25</u>
<u>L24</u>	(error or fail\$3 or problem) with ((notif\$6 or broadcast\$3) same (work\$1load near manager or load\$1balanc\$3))	4	<u>L24</u>
<u>L23</u>	((notif\$6 or broadcast\$3) near (work\$1load near manager or load\$1balanc\$3))	17	<u>L23</u>
<u>L22</u>	((notif\$6 or broadcast\$3) near (work\$1load near manager or load\$1balanc\$3)) same (request or transaction)	3	<u>L22</u>
<u>L21</u>	((notif\$6 or broadcast\$3) near (work\$1load near manager or load\$1balanc\$3)) with (request or transaction)	1	<u>L21</u>
<u>L20</u>	((notif\$6 or broadcast\$3) near (work\$1load near manager or load\$1balanc\$3)) SAME (process\$3 near (request or transaction))	1	<u>L20</u>
<u>L19</u>	((notif\$6 or broadcast\$3) near (work\$1load near manager or load\$1balanc\$3)) SAME ("not" near process\$3 near (request or transaction))	0	<u>L19</u>
<u>L18</u>	((notif\$6 or broadcast\$3) near (work\$1load near manager or load\$1balanc\$3)) with ("not" near process\$3 near (request or transaction))	0	<u>L18</u>
<u>L17</u>	20020161917	2	<u>L17</u>
<u>L16</u>	((choos\$3 or select\$3 or load near balanc\$3 or work\$1load\$3) near server)and L15	12	<u>L16</u>
<u>L15</u>	((transaction or message or request) near2 category) with (status or inactive or de\$1alocat\$3 or re\$1claim\$5)	181	<u>L15</u>
<u>L14</u>	((transaction or message or request) near2 category) same ((choos\$3 or select\$3 or load near balanc\$3 or work\$1load\$3) near server)	21	<u>L14</u>
<u>L13</u>	((choos\$3 or select\$3 or load near balanc\$3 or work\$1load\$3) near server)and L12	29	<u>L13</u>
<u>L12</u>	(transaction or message or request) with (category near (id or identif\$6)) <i>DB=USPT; PLUR=YES; OP=OR</i>	512	<u>L12</u>
<u>L11</u>	'5774668'.pn.	1	<u>L11</u>
<u>L10</u>	'5809242'.pn.	1	<u>L10</u>
<u>L9</u>	'5819284'.pn.	1	<u>L9</u>
<u>L8</u>	'5978577'.pn.	1	<u>L8</u>
<u>L7</u>	'5978577'.pn.	1	<u>L7</u>
<u>L6</u>	'6012083'.pn.	1	<u>L6</u>
<u>L5</u>	'6018772'.pn.	1	<u>L5</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L4</u>	@pd<20011029 and L3	30	<u>L4</u>
<u>L3</u>	spreadsheet and L2	316	<u>L3</u>
<u>L2</u>	(transaction or message or request) same ((choos\$3 or select\$3 or load near balanc\$3 or work\$1load\$3) near server)	6163	<u>L2</u>
<u>L1</u>	6128657.pn.	3	<u>L1</u>

END OF SEARCH HISTORY